

The Town Board of the Town of Camden, Carver County, Minnesota met at the Camden Town Hall, May 13, 2021, at 7:30 pm. Members present were Clerk Lisa Goede, Treasurer Denise Zellmann, Supervisors Gerry Goede, David Zellmann, Bill Devine. The meeting was called to order by Chairman Bill Devine.

A motion made by Zellmann, seconded by Goede to approve the April regular meeting minutes with correction. Motion carried. A motion made by Zellmann, seconded by Devine to approve the payroll, and claims for payment of \$77,554.37. See attached list. Goede abstained due to a conflict of interest, being paid for maintenance work. Motion carried. A motion made by Zellmann, seconded by Goede to approve the Treasurer's report, and stating that the Clerk and Treasurer's books balance with the bank statement. Motion carried.

**Clerk's Report:** Shared Carver County building permits; additional grant option from Carver County was discussed and decided the township does not have any additional waste reduction expenses besides the current solid waste grant in place; Carver County Land Management email regarding their follow up with Valley Paving on IUP adherence.

**Supervisors Report:** Zellmann reported on dog problem of 2 labs roaming. Issue is hopefully resolved. Devine asked when road restrictions would be lifted; Goede stated a couple weeks signs would be removed. Devine noted semis and increased traffic using Tacoma instead of posted detour for Hwy 25 closure; Goede stated he would talk to sheriff and install Local Traffic Only signs.


**Discussion Included:**

1. Resident Jeff Caswell presented Conditional Use Permit paperwork for approval to build a 52'x72' shed that will exceed the maximum amount of personal storage square footage. Motion by Zellmann, seconded by Goede to approve as presented. Motion carried.
2. Motion by Zellmann, seconded by Goede to approve the 2022 New Germany fire contract as presented. Motion carried.

**Road & Equipment Report:** Gravel has been hauled. Estimate 65,000 gal. of dust control @.98/gal. to start being applied. AME getting lights for shed. Culvert on Yale – Sons is giving estimate. Goede had the two trucks DOT inspected. Grade control on grader not working – Ziegler will be contacted.

**Public Comments:** None.

A motion made by Goede, seconded by Zellmann to adjourn at 8:35pm. Motion carried.

  
Chairman 6-10-21

